

Specification of body police camera(sop-03)

Picture:



Parameters:

RECORDING	
Main Chipset	Ambarella A7L30
Sensor	18MP CMOS sensor
Video Resolution	Multiple Recording Resolution 1920x1080P(30 FPS)/ 1280x720(30 FPS) / 848x480(30 FPS)
Video Format	H.264 MPEG4
Fast forward	2X, 4X, 8X, 16X, 32X
REW	2X, 4X, 8X, 16X, 32X
Audio	High Quality Build-in Microphone.
Audio Format	AAC2./MP3
Water Mark	User ID, Time and date Stamp Imbedded into Video.
Camera	18 Megapixel Camera option with optional burst shot(3 or 5 photos)
Camera Format	4608*3456 JPEG
Snap Shot	Capture Photos During Video Recording
Storage Capacity	16G/32G/64G
Storage Level	Visual Indicator
Record Led	Red
One Button Recording	Support One Button Record
Activation prompt	Audible, Visual, and Tactile Vibration Confirm Activation of Record

	and Stop
IR Light	6 IR Light
Other Auxiliary Light	one red laser light
VIDEO/IMAGE REVIEW	
LCD Screen	2 inch TFT-LCD High-Resolution Color Display
Audio Playback	Yes
Video Output	HDMI 1.3 Port
Video Transfer	USB 2.0
CAMERA	
Recording Angle	Wide Angle 140 degrees
Night Vision	Up to 10 Meters with Visible Face Detection
Waterproof	IP68
Clip	High Quality Metal Clip with 360 degrees Rotation
PTT	Can Connect to Different Types of Radios
BATTERY	
Type	2100mAH Lithium(with one spare battery, total 4200mAh)
Charging Time	120 minutes
Continuous Recording	4 Hours
Low Battery Warning	Beep Alert
OTHERS	
Unique ID number/unit	Include 5 digit device ID and 6 digit police ID
Password Protection	To set an administrator password to allow deletion via software. User can only view the videos but cannot delete it.
Pre-record function	30 seconds pre-record.
Post-record function	30 seconds last-record
Burst	5/10/20 Shot burst picture taking
Dimension	107 mm *58 mm *32mm
Weight	153g
Working Temperature	-40~60 degrees Celsius
Storage temperature	-20~55 degrees Celsius
ACCESSORIES	
Standard Accessories	USB cable, Charger, Manual, Universal metal clip, Charging dock, Filter;

One spare battery Remoter, Remoter

Standard Package:



Optional Accessories:

1.Dock Station(10units)



2.Dock Station(20units)



Shenzhen Shoop Technology Co., Ltd